

25 Old River Rd.\Cartersville, Ga. 30120 Phone #: (770) 387-0319, Fax #: (770) 607-3799 www.cimbar.com

# **Material Safety Data Sheet**

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CAL-BEN

Generic Description: CALCIUM BENTONITE Manufacturer: **CIMBAR Performance Minerals** 

Address: 25 Old River Road-Cartersville, GA 30120

Phone: (770) 387-0319 or (800)-852-6868

Emergency Phone: (800)-666-9260

#### 2. COMPOSITION/INFORMATION ON THE COMPONENTS

Chemical Name: Hydrous Magnesium Aluminum Silicate

CAS #: 1302789 (Concentration: 96-100%)

Hazardous Identification Information: There are no minor components that are not part of the make-up

matrix of these products. The amount of respirable silica is less than 0.4% at 10 microns.

#### 3. HAZARD IDENTIFICATION

Routes of Entry: INHALATION-EYE-CONTACT-SKIN CONTACT-INGESTION

Carcinogenic Status: NONE Target Organs: EYE-LUNG

Health Effect-Eyes: Direct contact with dust may cause mechanical irritation of the eyes. Health Effects-Skin: Direct contact may cause slight dryness, or may cause mild irritation. Health Effects-Ingestion: Considered to be relatively non-toxic due to non-absorption.

Health Effects-Inhalation: Inhalation of fine dust may cause irritation of the nose and throat by mechanical

action.

Other Health Warnings: NA

# 4. FIRST AID MEASURES

First Aid-Eyes: Wash eyes with large amounts of water or normal saline solution. If irritation or redness develops, seek medical attention.

First Aid-Skin: Apply common skin moisturizers to relieve dryness. Irritations are uncommon; however, if irritation or redness develops, seek medical attention. Broken skin can be cleansed with mild soap and

First Aid-Ingestion: Considered to be relatively non-toxic due to non-absorption.

First Aid-Inhalation: Remove from exposure to fresh air. If breathing has stopped, perform artificial respiration and get medical attention immediately. Keep person warm and at rest. Treat symptomatically and supportively.

Emergency Eye Wash: When there is a possibility that an employees eyes may be exposed to bulk quantities or high concentrations of airborne dust of this substance, the employer should provide an eye wash fountain within the immediate work area for emergency.

#### 5. FIRE FIGHTING MEASURES

Extinguishing Media: Not readily combustible. Select extinguishing agent appropriate to other materials involved.

Special Hazards of Product: No specific measures necessary.

Protective Equipment for Fire-fighting: Avoid the formation of dust clouds.

Document ID: MSDS- CAL-BEN Approved by: Blane Sexton Page 1 of 3

Revision: 12/2007

#### 6. ACCIDENTAL RELEASE MEASURES

Spill procedures: No specific measures necessary.

# 7. HANDLING AND STORAGE

Handling: Preserve in sealed containers to prevent dispersion of dust in air.

Storage: Store in original containers. Storage area should be away from incompatible materials and in a cool, dry, well ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards: OSHA TWA(respirable dust)-5 mg/m3; ACGIH, OSHA TWA(total dust)-10 mg/m3

Engineering Control Measures: Engineering methods to prevent or control exposure are preferred. If they are not effective, then suitable personal protective should be used.

Respiratory Protection: The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.

Hand Protection: Protective gloves are not required, but may be worn to prevent skin dryness or irritation.

Eve Protection: Dust tight goggles Body Protection: Normal work wear

Emergency Eye Wash: When there is a possibility that an employees eyes may be exposed to bulk quantities or high concentrations of airborne dust of this substance, the employer should provide an eye wash fountain within the immediate work area for emergency.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid Powder Color: Light cream color.

Odor: Odorless

Vapor Pressure(mm Hg): na Vapor Density(Air=1): na

Solubility in water: Insoluble in Water

## 10. STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures

Incompatibility: None.

Decomposition/By Products: Carbon monoxide and carbon dioxide.

Hazardous Polymerization: Should not occur under normal temperatures and pressures.

#### 11. TOXILOGICAL INFORMATION

Acute Toxicity: Tumorigenic data(RTECS), Mutagenic data(RTECS)

Chronic Toxicity/Carcinogenicity: None.

Genotoxicity: None

Reproductive/Developmental Toxicity: None

## 12. ECOLOGICAL INFORMATION

Mobility: The product is insoluble in water

Persistence/Degradability: No relevant studies identified Bio-Accumulation: No relevant studies identified Ecotoxicity: No relevant studies identified.

#### 13. DISPOSAL

Product Disposal Dispose of in accordance with all applicable local and national regulations Container Disposal Dispose of containers with care.

Document ID: MSDS- CAL-BEN Approved by: Blane Sexton Page 2 of 3

Revision: 12/2007

## 14. TRANSPORT INFORMATION

This substance is not regulated as a hazardous material by DOT

# 15. REGULATORY INFORMATION

TSCA Listed: Yes

Substances on the New Jersey workplace hazardous substances list present a concentration of 1% or more (0.1% for substances identified as carcinogens)

NPCA Association: HMIS- Health Hazard-1 (slight); Flammability Hazard-0 (minimal); Reactivity Hazard-0 (minimal); Personal Protection- E (glasses, gloves and respirator).

# 16. OTHER INFORMATION\CONTACT

The information contained herein is based on data available to CIMBAR Performance Minerals and is believed to be correct. However, CIMBAR Performance Minerals makes no warranty, expressed or implied, regarding the accuracy or completeness of this information or the results to be obtained from the use thereof.

CIMBAR Performance Minerals Quality Assurance Department Phone:1-770-387-0319 Fax: 770-607-3799

www.cimbar.com

Document ID: MSDS- CAL-BEN Approved by: Blane Sexton Page 3 of 3

Revision: 12/2007